The nutrition they need.

Great taste they'll love.





IMPROVED FLAVOR

NEW LOOK

DRY4-lbs (1.81 kg)
6247
8.5-lbs (3.85 kg)
17.6-lbs (7.89 kg)
8680





Multicare with Chicken

Urinary Tract Health

Santé des voies urinaires Salud del tracto urinario

Transitioning to a new food

Gradually mix increasing amounts of the new food with decreasing amounts of the old food over a 7-day period **DAYS 1&2**

OLD FOOD NEW DAYS 3&4



DAYS 5&6



DAY 7



Exciting NEW innovations for Spring 2014

c/d° Multicare is the single solution for multiple conditions of FLUTD — now with great new flavors they'll love to eat!



Multiple conditions. Single solution.

- ✓ Clinically tested to reduce the recurrence of FIC signs by 89%
- Clinically tested to dissolve struvite stones in as little as 7 days² (Average 28 days)
- ✓ Formulated to **reduce the occurrence** of calcium oxalate stones
- ✓ L-tryptophan and hydrolyzed casein help control stress, a known risk factor for FIC^{3,4} (Urinary Stress only)
- ✓ Ideal for long-term feeding and multiple cat households



For more information, contact your Hill's representative.

Kruger JM, Lulich JP, Merrils J, et al. Proceedings. American College of Veterinary Internal Medicine Forum 2013.

*Lulich JP, Kruger JM, MacLeay JM, et al. Efficacy of two commercially available, low-magnesium, urine acidifying dry foods for the dissolution of struvite uroliths in cats.

*Jam Vet Med Assoc 2013;243:1147-1153. Average 28 days in vivo study in urolith forming cats.

*Pereira GG, Fragos S, Pires E. Effect of dietary intake of 1-tryptophan supplementation on multi housed cats presenting stress related behaviors, in *Proceedings.* BSAVA 2010.

*Beata G, Beaumont-Graff E, Coll V, et al. Effect of alpha-casozepine (Zylkene) on anxiety in cats. *J Vet Behav. 2007;2 (2):40-46.

CHANGE THEIR FOOD. CHANGE THEIR WORLD.